




Architectural Glass Hardware



Product Catalogue 01.04.2020



Architectural Glass Hardware

About Us

Today **DUBONT** has established as a most reliable name in the finest Architectural Glass Hardware across India. We offer most modern and innovative trends for Doors and Accessories at par with international standards.

Our range of architectural hardware comprising Floor Springs, Patch Fittings, Selfie, Telescopic Sliding System, Sliding Folding System, Vetrolite, Movable Partition System, The Glass Canopy, Shower Hinges, Glass Connectors, Sliding Handles, Glass Door Locks, Sliding Rollers, Sliding Tracks and Fittings, Glass Point Fittings, Spider Fittings etc. and there is no match both in terms of price and quality. Ease of fixing and functional elegance is our main focus and we strive hard to ensure maximum reliability and service life.

We adhere to stringent quality checking procedures and follow International standards. We have in-house Design & R&D departments equipped with state-of-the-art CAD stations relentlessly exploring new means through innovation, studying global trends and optimizing cost by well qualified engineers and professionals.

In our endeavor to provide customer satisfaction we work hard to achieve our dreams. We thank all our customer for their continued support.

Vision

There are many hardware supplier in the market but DUBONT vision to set standard in respect of both product development as well as quality assurance with complete backing of the latest technology and experience of skilled personal.

We have always tried to set benchmarks in nor one but all respect, right from innovation and quality to trust and commitment. Not only we recognize the significance of these avenues in the success of a business, but also give utmost importance to the application of these values in our organization.




Architectural Glass Hardware

INDEX

FLOOR SPRINGS.....	01
HYDRAULIC PATCH FITTING.....	02
PATCH FITTINGS.....	03-04
GLASS CONNECTORS	05
GLASS DOOR LOCKS.....	06
GLASS DOOR HANDLES.....	07-09
SELFIE.....	10
TELESCOPIC SLIDING SYSTEM.....	11-12
STACKING SLIDING SYSTEM.....	13
GLASS SLIDING SYSTEM.....	14
SLIDING FOLDING SYSTEM.....	15-16
VETROLITE.....	17
MOVABLE PARTITION SYSTEM P.....	18
MOVABLE PARTITION SYSTEM S.....	19
MOVABLE PARTITION SYSTEM C.....	20
CENTER SLIDING FOLDING SYSTEM.....	21-22
SLIDING ROLLER AND TRACK.....	23
SLIDING FITTINGS.....	24
SHOWER HINGES.....	25
SHOWER FITTINGS.....	26
SLIDING DOOR SYSTEM.....	27
SHOWER HANDLES & KNOBS.....	28
PVC SEAL, POINT & CANOPY FITTING.....	29
THE GLASS CANOPY.....	30
SPIDER FITTINGS & ROUTEL.....	31-32
AUTOMATIC SENSOR DOOR.....	33-34

Available Finish :
on Request



New

DFS-1075 (CE & EN Certified)
Floor Spring (Door weight 80 kg.)
Maximum Door Width 900mm.
Finish : Satin Stainless Steel

DFS- 1075



DFS-1080 (CE & EN Certified)
Floor Spring (Door weight 95 kg.)
Maximum Door Width 900mm.
Finish : Satin Stainless Steel

DFS- 1080



DFS-1110 (CE & EN Certified)
Floor Spring (Door weight 110 kg.)
Maximum Door Width 1100mm.
Finish : Satin Stainless Steel

DFS- 1110

COMBO SET



DFS-1075 Combo Set (4 Pcs.)
Door Weight 80 Kg.

DFS- 1075 Combo Set



DFS-1080 Combo Set (4 Pcs.)
Door Weight 95 Kg.

DFS- 1080 Combo Set



DFS-1110 Combo Set (4 Pcs.)
Door Weight 110 Kg.

DFS- 1110 Combo Set



DFS-1150 (CE & EN Certified)
Floor Spring (Door weight 150 kg.)
Maximum Door Width 1200mm.
Finish : Satin Stainless Steel

DFS- 1150



New

DFS-2150 (CE & EN Certified)
Floor Spring (Door weight 150 kg.)
Maximum Door Width 1250mm.
Finish : Satin Stainless Steel

DFS- 2150



Slim Type

New

DFS-75 VRO (CE & EN Certified)
Floor Spring (Door weight 60 to 150 kg.)
Maximum Door Width 1200mm.
Finish : Satin Stainless Steel

DFS- 75 VRO

COMBO SET



DFS-1150 Combo Set (4 Pcs.)
Door Weight 150 Kg.

DFS- 1150 Combo Set



DFS-2150 Combo Set (4 Pcs.)
Door Weight 150 Kg.

DFS- 2150 Combo Set



DFS-75 VRO Combo Set (4 Pcs.)
Door Weight 60 to 150 Kg.

DFS- 75 VRO Combo Set

HYDRAULIC PATCH FITTING



Architectural Glass Hardware

Available Finish :     
on Request Black Brass Copper Gold Rose Gold



New

DHP-100 (CE & EN Certified)
Hydraulic Bottom Patch (Door weight 100 kg.)
Maximum Door Width 950mm.
Finish : Satin Stainless Steel

DHP- 100



New

DHP-150 (CE & EN Certified)
Hydraulic Bottom Patch (Door weight 150 kg.)
Maximum Door Width 1250mm.
Finish : Satin Stainless Steel

DHP- 150

COMBO SET

New



DHP-100 Combo Set (3 Pcs.)
Door Weight 100 Kgs.

DHP- 100 Combo Set

New



DHP-150 Combo Set (3 Pcs.)
Door Weight 150 Kgs.

DHP- 150 Combo Set

New



Top Patch Plus
Finish : Satin stainless steel

DPF- 202 P

New



Top Pivot
Finish : Satin stainless steel

DPF- 207

No need glass preparation

New



Door Bottom Rail (1mtr. and 1.5mtr.)
In Built Lock with Cylinder Key
Finish : Satin stainless steel

DDR- 01 Bottom Rail

No need glass preparation


New



Door Top Rail (1mtr. and 1.5mtr.)
Suitable with DPF-203, DPF-204, DPF-207
Finish : Satin stainless steel

DDR- 02 Top Rail

Available Finish :
on Request



Bottom Patch
DPF- 201



Top Patch
DPF- 202



Over Panel Pivot Patch
DPF- 203



Wall Mounted Over Panel Patch with Plate
DPF- 203 P



Over Panel Corner with Pivot L Patch (Big L)
DPF- 204



Bottom Lock
DPF- 205



Strike Box
DPF- 205 A



Corner L Patch (Small L)
DPF- 206



Top Pivot
DPF- 207



Bottom Floor Pivot
DPF- 208



Turn Knob Lock
DPF- 209



Strike Box
DPF- 210

PATCH FITTINGS



Architectural Glass Hardware

Available Finish :
on Request

Black

Brass

Copper

Gold

Rose Gold



Over Panel -Side Panel Connector with Fin
DPF- 241 L/R



Double Glass Connector with Fin
DPF- 242



Quadruple Patchwith Fin
DPF- 243



Triple Glass Patch Connector with Fin
DPF- 244 L/R



Over Panel Side Panel Patch Connector with Stopper
DPF- 245 ST



Double Over Panel Patch with Fin
DPF- 251




Wall to Glass Connecting Patch
DPF- 264



Glass to Glass Connector Patch to Wall/ Ceiling
DPF- 265



Double Glass Connector
DPF- 266



Top and Bottom Pivot for
Wooden / Aluminium Doors
DFS- AC- Set



Door Stopper
DDS- 01



Interlocking Glazing Profile
For 10 to 12 mm Glass
DGPL- 01 2.4 mtr. 3.0 mtr.
 3.6 mtr. 4.8 mtr.

Available Finish :
on Request

Black

New



Fix Clip

DGC- 401 - SSS
DGC- 401 - PSS

New



Fix Clip (Single Hole)

DGC- 401 SH - SSS
DGC- 401 SH - PSS

New



L Connector

DGC- 402 - SSS
DGC- 402 - PSS

New



Glass to Glass 90° Connector

DGC- 403 - SSS
DGC- 403 - PSS

New



Glass to Glass 135° Connector

DGC- 404 - SSS
DGC- 404 - PSS

New



Glass to Glass 180° Connector

DGC- 405 - SSS
DGC- 405 - PSS

New



Wall to Glass 180° Connector

DGC- 406 - SSS
DGC- 406 - PSS

New



T Connector Glass to Glass

DGC- 407 - SSS
DGC- 407 - PSS



Fix Clip

DGC- 411 - SSS
DGC- 411 - PSS




Fix Clip (Single Hole)

DGC- 411 SH - SSS
DGC- 411 SH - PSS




L Connector

DGC- 412 - SSS
DGC- 412 - PSS



Glass to Glass 90° Connector

DGC- 413 - SSS
DGC- 413 - PSS



Glass to Glass 135° Connector

DGC- 414 - SSS
DGC- 414 - PSS



Glass to Glass 180° Connector

DGC- 415 - SSS
DGC- 415 - PSS



Wall to Glass 180° Connector

DGC- 416 - SSS
DGC- 416 - PSS



T Connector Glass to Glass

DGC- 417 - SSS
DGC- 417 - PSS

GLASS DOOR LOCKS



Architectural Glass Hardware

NOTE : KEY TO KEY CYLINDER ON REQUEST
KNOB TO KNOB CYLINDER ON REQUEST
(MODEL NO. DGL-9 W, 10, 13 W, 14, 15 W, 16)




Wall to Glass Lock (Without Cutout)
(O/S Key & O/S Knob)

DGL- 1 W



Glass to Glass Lock (Without Cutout)
(O/S Key & O/S Knob)

DGL- 2



Wall to Glass Lock (Without Cutout)
(O/S Key & O/S Knob)


DGL- 3 W



Glass to Glass Lock (Without Cutout)
(O/S Key & O/S Knob)

DGL- 4


New



Wall to Glass Lock (Without Cutout)
(Inside Push Knob)

DGL- 5 W

New



Glass to Glass Lock (Without Cutout)
(Inside Push Knob)

DGL- 6



Wall to Glass Lock (Without Cutout)
(Inside Knob)

DGL- 7 W



Glass to Glass Lock (Without Cutout)
(Inside Knob)

DGL- 8

New



Wall to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 9 W

New



Glass to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 10

ELECTRONIC GLASS DOOR LOCK



Wall to Glass Lock (Without Cutout)
(Inside Knob)

DGL- 11 W



Glass to Glass Lock (Without Cutout)
(Inside Knob)

DGL- 12

New



Wall to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 13 W



Glass to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 14



Wall to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 15 W

New



Glass to Glass Lock (Need Cutout)
(O/S Key & O/S Knob)

DGL- 16

Available Finish :
on Request


Black



DPH- 01

'H' Type Handle

SIZE	DESCRIPTION
22x8	22x22x200 mm
22x10	22x22x250 mm
22x12	22x22x300 mm
25x18	25x25x450 mm
25x24	25x25x600 mm
25x30	25x25x750 mm
32x36	32x32x900 mm
32x48	32x32x1200 mm



DPH- 01 (Combi)



'H' Type Handle (Combi)


SIZE	DESCRIPTION
32x12	32x300 mm
32x18	32x450 mm
32x24	32x600 mm



DPH- 02

'D' Type Handle

SIZE	DESCRIPTION
22x8	22x22x200 mm
22x10	22x22x250 mm
22x12	22x22x300 mm
25x18	25x25x450 mm
25x24	25x25x600 mm
25x30	25x25x750 mm
32x36	32x32x900 mm
32x48	32x32x1200 mm



DPH- 02 (Combi)



'D' Type Handle (Combi)

SIZE	DESCRIPTION
25x12	25x300 mm
32x18	32x450 mm
32x24	32x600 mm


GLASS DOOR HANDLES



Architectural Glass Hardware

Available Finish :
on Request

Black



DPH- 03



'D' Type Square Handle

SIZE	DESCRIPTION
20x8	20x20x200 mm
20x10	20x20x250 mm
20x12	20x20x300 mm
20x18	20x20x450 mm
20x24	20x20x600 mm



DPH- 04



'H' Type Rectangle Handle

SIZE	DESCRIPTION
10x40x12	10x40x300 mm
10x40x18	10x40x450 mm
10x40x24	10x40x600 mm
10x40x36	10x40x900 mm



DPH- 04 A

Acrylic Handle

SIZE	DESCRIPTION
38x12	38x38x300 mm
38x18	38x38x450 mm



DPH- 05



'D' Type Rectangle Handle

SIZE	DESCRIPTION
10x20x8	10x20x200 mm
10x20x10	10x20x250 mm
10x20x12	10x20x300 mm
10x20x18	10x20x450 mm
10x20x24	10x20x600 mm



DPH- 05 A

Adjustable Handle

SIZE	DESCRIPTION
32x12	32x32x300 mm
32x18	32x32x450 mm

NOTE : THIS IS ADJUSTABLE HANDLE AND SIZE CAN BE ADJUST AS PER GLASS HOLE.

Available Finish :
on Request

Black



DPH- 06

'S' Type Handle

SIZE	DESCRIPTION
22x8	22x22x200 mm
22x10	22x22x250 mm
22x12	22x22x300 mm



DPH- 07

New

'H' Type Rectangle Handle

SIZE	DESCRIPTION
12x25x12	12x25x300 mm
12x25x18	12x25x450 mm
12x25x24	12x25x600 mm
12x25x36	12x25x900 mm



DPH- 08

New

'D' Type Handle

SIZE	DESCRIPTION
22x8	22x22x200 mm
22x10	22x22x250 mm
22x12	22x22x300 mm
22x18	22x22x450 mm
22x24	22x22x600 mm



DPH- 09

'Q' Type Handle

SIZE	DESCRIPTION
22x8	22x22x200 mm
22x10	22x22x250 mm
22x12	22x22x300 mm



DPH- 10

New

'Q' Type Square Handle

SIZE	DESCRIPTION
20x8	20x20x200 mm
20x10	20x20x250 mm
20x12	20x20x300 mm



**Automatic
Self Closing
Door System**

- Ceiling Mount
- Wall Mount
- Glass Mount

Satin Brush Finish



TECHNICAL DETAILS & ADVANTAGES

Weight Capacity 120kgs.	Invisible Glass Clamp
Perfect Aesthetic Look	Maximum Glass Width-1.1 mtr.
Finish- Satin Stainless Steel Brush	Both Side Soft Close
Without Bottom Track	Track Available 2.8mtr., 3.0mtr., & 5.8mtr.
Easy Installation	Maintenance Free



CODE	DESCRIPTION	PER
DTS- 2121	2 Sliding & 1 Fix Panel	Set
DTS- 3131	3 Sliding & 1 Fix Panel	Set
DTS- 4141	4 Sliding & 1 Fix Panel	Set
DTT- 01	Telescopic Top Track	3 mtr.
		6 mtr.
DTC- 02	Telescopic Track Cover Plate	3 mtr.
		6 mtr.
DTC- 03	Telescopic Roller Cover Plate	3 mtr.
		6 mtr.

NOTE : CUSTOMIZE SYSTEM CAN BE PROVIDE AS PER REQUIREMENT
PVC SEAL, HANDLE, LOCK, PROFILE PRICE WILL BE EXTRA

TELESCOPIC SLIDING SYSTEM




Architectural Glass Hardware

TECHNICAL DETAILS & ADVANTAGES


Maximum door size 950x2200	Maximum weight per door 70kg.
Glass Thickness 8 to 10mm	Maximum cavity width 12mtr.
No need bottom track	Both side soft close sliding system
Maximum opening area 80% use	Invisible rollers and track
Easy installation	Easy to use and utility product
Perfect aesthetic look	Maintenance free

PLAN VIEW


DTS- 2121 (one side opening)
2 Sliding & 1 Fix Panel




DTS- 3131 (one side opening)
3 Sliding & 1 Fix Panel



DTS- 4141 (one side opening)
4 Sliding & 1 Fix Panel




DTS- 3131 (Center opening)
3 Sliding & 1 Fix Panel



OPTIONAL ACCESSORIES



Sliding Handle with Lock
DGL- 15 W



Glass Sliding Door Handle
DGSH- 502



D Profile
DPS- 901 D




F Profile
DPS- 902 F



Glazing Profile
DGPL- 01



Fix Clip
DGC- 411



Sliding Roller



Connector



Double Floor Guide




Stopper



Floor Guide

CODE	DESCRIPTION	PER
DGST- 900 A	2 Sliding & 1 Fix Panel	Set
DGST- 900 B	3 Sliding & 1 Fix Panel	Set
DGST- 900 C	4 Sliding & 1 Fix Panel	Set

OPTIONAL ACCESSORIES



Allu. Single Sliding Track
DST- 17



Glass Sliding Door Handle
DGSH- 501



Sliding Handle with Lock
DGL- 15 W



Fix Clip
DGC- 411



D Profile
DPS- 901 D




F Profile
DPS- 902 F

GLASS SLIDING SYSTEM



Architectural Glass Hardware

OFFICE SLIDING SYSTEM




Sliding Roller

DOS- 01 (Set) 9 Pcs.



Wall to Rod Clamp



Glass to Rod Clamp



Door Stopper



Floor Guide



Shower Sliding Pipe

SOFT CLOSE SLIDING SYSTEM



Soft Close Roller

DSCS- 101 (Set)



Stopper



Roller Cap



Floor Guide



Aluminium Track

SYNCHRO SLIDING SYSTEM



Sliding Roller (4 Pcs)



Glass Clamp (4 Pcs)



Stopper (2 Pcs)



Floor Guide (1 Pc)



Cover for Glass Clamp (4 Pcs)



Adjustable Cable Fitting (1 Pcs)




Steel Cable Fixture (1 Pcs)



Cable Wrapping Fitting (2 Pcs)




Steel Cable (1 Pc)




Sliding Track

DSAS- 01 (Set)



SLIDING FOLDING SYSTEM

PLAN VIEW



Top Pivot of End Panel Fitting
DSFS- 01



Glass to Glass Hinge
DSFS- 02



Glass to Glass Roller
DSFS- 03



End Folding Panel Roller
DSFS- 04



Bottom Pivot of End Panel Fitting
DSFS- 05



Glass to Glass Hinge with Floor Lock
DSFS- 06



Glass to Glass Hinge with Track Guide
DSFS- 07



End Folding Panel with Track Guide
DSFS- 08



Wall to Glass Hinges for
One Side Opening
DSFS- 09



End Panel Fitting with Floor Lock
DSFS- 10 L/R



Top Track
DSFS- C1
(4 mtr. , 6 mtr.)



Bottom Track
DSFS- A 15
(4 mtr.)

DOOR PANEL	DSFS- 01 DSFS- 05	DSFS- 02 DSFS- 06	DSFS- 03 DSFS- 07	DSFS- 04 DSFS- 08	DSFS- 10 L/R
For 2 Doors Panel	1 Set	1 Set	–	01 Set	–
For 3 Doors Panel	1 Set	1 Set	1 Set	–	01 Pc.
For 4 Doors Panel	1 Set	2 Set	1 Set	01 Set	–
For 5 Doors Panel	1 Set	2 Set	2 Set	–	01 Pc.
For 6 Doors Panel	1 Set	3 Set	2 Set	01 Set	–

NOTE : PVC SEAL, DOOR HANDLE, KNOB, LOCK, TOP TRACK, BOTTOM TRACK PRICE WILL BE EXTRA.



Glass Sliding System

- Ceiling Mount
- Wall Mount
- Glass Mount

Satin Brush Finish



TECHNICAL DETAILS & ADVANTAGES

Weight Capacity 120kgs.	Invisible Glass Clamp
Perfect Aesthetic Look	Maximum Glass Width-1.1 mtr.
Finish- Satin Stainless Steel Brush	Both Side Soft Close
Without Bottom Track	Track Available 2.8mtr., 3.0mtr., & 5.8mtr.
Easy Installation	Maintenance Free


MOVABLE PARTITION SYSTEM P



Architectural Glass Hardware





PLAN VIEW



Lower Door Strip (Single Latch) DMPS- 01	Upper Door Strip/Shaft Sleeve DMPS- 02	Upper Door Strip/Roller DMPS- 03	Lower Door Strip (Double Pins) DMPS- 04
Lower Door Strip (Side Bolt+Jack) DMPS- 05	Lower Door Strip (Side Bolt+Jack) L/R DMPS- 06	Lower Door Strip (Side Bolt+Jack)L/R DMPS- 07	Lower Door Strip (Surface Bolt+Side Bolt) DMPS- 08
Track DMPS- 09	Rail (T Piece) L DMPS- 10	Rail (T Piece) R DMPS- 11	Rail (Elbow) DMPS- 12



PLAN VIEW



 Lower Door Strip (Single Latch) DMSS- 01	 Upper Fixing Door Strip DMSS- 02	 Upper Door Strip/Roller DMSS- 03	 Lower Fixing Door Strip (Surface Bolt+ Lower Shaft) DMSS- 04
 Lower Fixing Door Strip DMSS- 05	 Lower Door Strip DMSS- 06	 Lower Fixing Door Strip (Surface Bolt+ Pulley) DMSS- 07	 Track DMSS- 08


MOVABLE PARTITION SYSTEM C



Architectural Glass Hardware




PLAN VIEW




			
Upper Fixed Door Leaf DMCS- 01	Lower Fixed Door Leaf DMCS- 02	Upper Door Strip (Hinge+Roller) DMCS- 03	Lower Door Strip (Hinge+Surface Bolt) DMCS- 04
			
Upper End Door Leaf DMCS- 05	Lower End Door Leaf DMCS- 06	Lock DMCS- 07	Track DMCS- 08




PLAN VIEW




2 Door Panel



3 Door Panel



4 Door Panel





5 Door Panel

CENTER SLIDING FOLDING SYSTEM



Architectural Glass Hardware



				 Aluminium Track (2.4 mtr. , 3.0 mtr.) (3.6 mtr., 4.8 mtr.)
Sliding Roller	Wall to Glass Hinge	Glass to Glass Hinge	Turn Knob Lock	Aluminium Track

DOOR PANEL	SLIDING ROLLER	WALL TO GLASS HINGE	GLASS TO GLASS HINGE
For 2 Door Panel	1 Pc.	2 Pcs.	2 Pcs.
For 3 Door Panel	2 Pcs.	2 Pcs.	4 Pcs.
For 4 Door Panel	3 Pcs.	2 Pcs.	6 Pcs.
For 5 Door Panel	4 Pcs.	2 Pcs.	8 Pcs.


NOTE : PVC SEAL, DOOR HANDLE, KNOB, LOCK, TOP TRACK PRICE WILL BE EXTRA.



2 Sliding Roller (Round), 2 Stopper, 1 Floor Guide
DSL- 031 (Set)



2 Sliding Roller (Square), 2 Stopper, 1 Floor Guide
DSL- 032 (Set)



2 Sliding Roller (Rectangle), 2 Stopper, 1 Floor Guide
DSL- 033 (Set)




2 Sliding Roller (Round), 2 Stopper, 1 Floor Guide
DSL- 041 (Set)




2 Sliding Roller (Square), 2 Stopper, 1 Floor Guide
DSL- 042 (Set)




2 Sliding Roller (Rectangle), 2 Stopper, 1 Floor Guide
DSL- 043 (Set)



Single Sliding Track
DST- 57 (2.4 mtr., 3.6 mtr.)
(4.8 mtr.)



Fixed & Sliding Track
DST- 58 (2.4 mtr., 3.6 mtr.)
(4.8 mtr.)




Double Sliding Track
DST- 59 (2.4 mtr., 3.6 mtr.)
(4.8 mtr.)




2 Sliding Roller (Round), 2 Stopper, 1 Floor Guide
DSL- 051 (Set)




2 Sliding Roller (Square), 2 Stopper, 1 Floor Guide
DSL- 052 (Set)




2 Sliding Roller (Rectangle), 2 Stopper, 1 Floor Guide
DSL- 053 (Set)



Single Sliding Track
DST- 17 (2.4 mtr., 3.0 mtr.)
(3.6 mtr., 4.8 mtr.)



Fixed & Sliding Track
DST- 18 (2.4 mtr., 3.0 mtr.)
(3.6 mtr., 4.8 mtr.)



Double Sliding Track
DST- 19 (2.4 mtr., 3.0 mtr.)
(3.6 mtr., 4.8 mtr.)

SLIDING FITTINGS



Architectural Glass Hardware



Floor Guide
DSF- 901



Wall to Track Clamp
DSF- 902



Stopper
DSF- 903



Track End Cap
DSF- 904



Wall to Track Connector
DSF- 905




90° Track Connector
DSF- 906



New

Clamp for Fixing Sliding Track for Glass
DSF- 907




New

Double Floor Guide
DSF- 908



Glass Sliding Door Handle
DGSH- 501



Glass Sliding Door Handle
DGSH- 502



Glass Sliding Door Handle
DGSH- 503



Glass Sliding Door Handle
DGSH- 504



Glass Sliding Door Handle (Full Hole)
DGSH- 505



New

Wall to Glass Over Lap Lock
DGSH- 506



New

Glass to Glass Over LapLock
DGSH- 507



Available Finish :
on Request



Black



Gold



Rose Gold




New

Hydraulic Wall to Glass Hinge 90°

DHS- 90 - SSS

DHS- 90 - PSS




New

Hydraulic Glass to Glass Hinge 180°

DHS- 180 - SSS

DHS- 180 - PSS


Cutout
DHS-90

Cutout
DHS-180


Fix Clip

DSH- 3000 - SSS

DSH- 3000 - PSS



Wall to Glass 90° Hinge (One Side Plate)

DSH- 3001 A - SSS

DSH- 3001 A - PSS



Wall to Glass 90° Hinge

DSH- 3001 - SSS

DSH- 3001 - PSS



Glass to Glass 180° Hinge

DSH- 3002 - SSS

DSH- 3002 - PSS



Wall to Glass 135° Hinge

DHS- 3003 - SSS


DSH- 3003 - PSS



Glass to Glass 90° Hinge

DSH- 3004 - SSS

DSH- 3004 - PSS



“T” Type Glass to Glass Hinge

DSH- 3005 - SSS

DSH- 3005 - PSS



Glass Pivot 360°

DSH- 3006 - SSS

DSH- 3006 - PSS



Wall to Glass Connector 90°

DSH- 3007 - SSS

DSH- 3007 - PSS

SHOWER FITTINGS



Architectural Glass Hardware



Wall to Pipe Connector

DSHR- 211 - SSS

DSHR- 211 - PSS



Pipe to Pipe Connector

DSHR- 212 - SSS

DSHR- 212 - PSS



Pipe to Glass Connector (One Side Blind)

DSHR- 213 - SSS

DSHR- 213 - PSS



Adjustable Pipe to Pipe Connector

DSHR- 214 - SSS

DSHR- 214 - PSS



“T” Type Pipe to Pipe Connector

DSHR- 215 - SSS

DSHR- 215 - PSS



New

Wall to Pipe Connector with Glass Connector

DSHR- 216 - SSS

DSHR- 216 - PSS



Wall to Pipe Connector

DSHR-221 - SSS

DSHR-221 - PSS



Pipe to Glass Connector

DSHR-222 - SSS

DSHR-222 - PSS



Pipe to Glass Connector (One Side Blind)

DSHR-223 - SSS

DSHR-223 - PSS



Adjustable Pipe to Pipe Connector

DSHR- 224 - SSS

DSHR- 224 - PSS



“T” Type Pipe to Pipe Connector

DSHR- 225 - SSS

DSHR- 225 - PSS



New

Pipe to Pipe Conner Connector

DSHR- 226 - SSS

DSHR- 226 - PSS



Wall to Pipe Connector

DSHR- 231 - SSS

DSHR- 231 - PSS



Pipe to Glass Connector

DSHR- 232 - SSS

DSHR- 232 - PSS



Pipe to Glass Connector (One Side Blind)

DSHR- 233 - SSS

DSHR- 233 - PSS



SS Round Pipe (Dia 19mm)

DSHR- 219 - SSS

DSHR- 219 - PSS



SS Square Pipe (25x25mm)

DSHR- 229 - SSS

DSHR- 229 - PSS



SS Rectangle Pipe (10x30mm)

DSHR- 239 - SSS

DSHR- 239 - PSS

PIPE SLIDING SYSTEM


Pipe Sliding Set- (Sliding Roller, Stopper, Wall to Track Connector, Track to Glass Holder, Track Supporter)



Sliding Roller

DGSF- 206 - SSS

DGSF- 206 - PSS



Track to Track 90° Connector

DGSF- 203 - SSS

DGSF- 203 - PSS



Stopper

DGSF- 205 - SSS

DGSF- 205 - PSS



Wall to Track Connector

DGSF- 201 - SSS

DGSF- 201 - PSS



Track to Glass Holder

DGSF- 207 - SSS

DGSF- 207 - PSS



Track Supporter

DGSF- 208 - SSS

DGSF- 208 - PSS



Floor Guide

DSF- 901 - SSS

DSF- 901 - PSS



Track to Glass Connector

DGSF- 202 - SSS


DGSF- 202 - PSS



SS Rectangle Pipe (10x30mm)

DGSF- 239 - SSS

DGSF- 239 - PSS



SHOWER SLIDING SYSTEM

DSS- 01 Set- (Sliding Roller, Door Stopper, Floor Guide, Wall to Track Connector & Fastner)

2mtr. Track-

2.5mtr. Track-



Sliding Roller



Door Stopper




Track to Track 90° Connector



Floor Guide



Wall to Track Connector



Top Track



Fastner



SHOWER HANDLES & KNOBS



Architectural Glass Hardware

Available Finish : 
on Request

Black

SHOWER HANDLES



Round Type Handle

DSDH- 510	SIZE
A	19x150x400
B	19x150x450
C	19x200x400
D	19x200x450



Square Type Handle

DSDH- 511	SIZE
A	20x150x400
B	20x150x450
C	20x200x400
D	20x200x450



Rectangle Type Handle

DSDH- 512	SIZE
A	12x25x150x400
B	12x25x150x450
C	12x25x200x400
D	12x25x200x450



Round Towel Bar with Knob

DTBK- 01	SIZE
A	19x450
B	25x450
C	19x600
D	25x600

DOOR KNOBS



DDK- 01 - SSS
DDK- 01 - PSS



DDK- 02 - SSS
DDK- 02 - PSS



DDK- 03 - SSS
DDK- 03 - PSS

DOOR HANDLE WITH LOCK










Handle with lock (Round)
DHL- 01



Handle with lock (Rectangle)
DHL- 02

PVC SEAL

			
Glass to Glass Floor / Wall DPS- 901 D	For Sliding Glass DPS- 902 F	Glass to Glass 180° DPS- 903 H	Glass to Floor DPS- 905
 New			
Brush Profile DPS- 906	Glass to Glass 90° DPS- M- 6	Glass to Glass 135° DPS- M- 7	Glass to Glass 180° DPS- M- 8

POINT FITTING

			
Adjustable Wall/ Floor to Glass Connector DGPF- 71 - SSS DGPF- 71 - PSS	Fixed Wall/ Floor to Glass Connector DGPF- 71-A - SSS DGPF- 71-A - PSS	Glass to Glass Connector (Adjustable) DGPF- 72 - SSS DGPF- 72 - PSS	Glass to Glass Connector (Point 3 Way) DGPF- 73 - SSS DGPF- 73 - PSS

CANOPY FITTING

			
Wall to Glass Connector (Adjustable) DCF- 01 - SSS DCF- 01 - PSS	Adjustable Glass Connector DCF- 02 - SSS DCF- 02 - PSS	Wall Connector DCF- 03 - SSS DCF- 03 - PSS	Treaded Sleeve for DCF Rod DCF- 410 - SSS DCF- 410 - PSS
			
Wall to Glass Connector DCF- 01 -A - SSS DCF- 01 -A - PSS	Rod to Glass Connector DCF- 02-B - SSS DCF- 02-B - PSS	Wall to Rod Connector DCF- 03-C - SSS DCF- 03-C - PSS	Connecting Rod for Canopy (12/16 mm) DCF- Rod - SSS DCF- Rod - PSS

THE GLASS CANOPY



Architectural Glass Hardware



TECHNICAL DETAILS & ADVANTAGES

Glass Height Maximum 1200mm	Set Profile System
Glass Thickness 12mm to 17.52mm	No Need Glass Preparation
Material : Aluminium Alloy 6063-T6	Perfect Aesthetic Look
Finish : Anodized, Powder Coat, Wooden Coat, PVDF	Maintance Free
Easy Installation	Use Out Door Area



4 Way Spider with Fin

DSP- 51 - SSS

DSP- 51 - PSS



2 Way Spider 180° with Fin

DSP- 52 - SSS

DSP- 52 - PSS



2 Way Spider 90° with Fin

DSP- 53 - SSS

DSP- 53 - PSS



One Way Spider with Fin

DSP- 54 - SSS

DSP- 54 - PSS



4 Way Spider Point Type

DSP- 55 - SSS

DSP- 55 - PSS



2 Way Spider 180° Point Type

DSP- 56 - SSS

DSP- 56 - PSS



3 Way Spider Point Type

DSP- 57 - SSS

DSP- 57 - PSS

₹ 3460/-



2 Way Spider 90° Point Type

DSP- 58 - SSS

DSP- 58 - PSS



One Way Spider Point Type

DSP- 59 - SSS

DSP- 59 - PSS



New

One Way Fin Type 45° L/R

DSP- 60 - SSS

DSP- 60 - PSS



New

Two Way Fin Type 90°

DSP- 61 - SSS

DSP- 61 - PSS



New

One Way Fin Type

DSP- 62 - SSS

DSP- 62 - PSS



New

One Way Fin Type 45° L/R

DSP- 63 - SSS

DSP- 63 - PSS



New

Four Way Point Type Spider 90° Installed at 180°

DSP- 64 - SSS

DSP- 64 - PSS



New

Four Way Point Type Spider 135° Installed at 180°

DSP- 65 - SSS

DSP- 65 - PSS

SPIDER FITTINGS



Architectural Glass Hardware

ROUTEELS

		
Articulated Routel 50mm	Articulated Routel 60mm	Counter Shunk Articulated Routel
Routel- 81 - SSS	Routel- 82 - SSS	Routel- 83 - SSS
Routel- 81 - PSS	Routel- 82 - PSS	Routel- 83 - PSS
		
Fixed Head Routel (50mm)	Fixed Bolt Routel 50mm	Fixed Bolt Routel 40mm
Routel- 84 - SSS	Routel- 85 - SSS	Routel- 86 - SSS
Routel- 84 - PSS	Routel- 85 - PSS	Routel- 86 - PSS

FIN PLATES

		
Fin Plate 200mm & 250mm (2 Pin Holding)	Fin Plate 300mm (3 Pin Holding)	Fin Plate 350mm & 400mm (3 Pin Holding)
FP- 200 - SSS	FP- 300 - SSS	FP- 350 - SSS
FP- 200 - PSS	FP- 300 - PSS	FP- 350 - PSS
FP- 250 - SSS		FP- 400 - SSS
FP- 250 - PSS		FP- 400 - PSS

SPLICE PLATES

		
Splice Plate 200mm & 250mm (2 Point Holding)	Splice Plate 300mm (3 Point Holding)	Splice Plate 350mm & 400mm (3 Point Holding)
SP- 200 - SSS	SP- 300 - SSS	SP- 350 - SSS
SP- 200 - PSS	SP- 300 - PSS	SP- 350 - PSS
SP- 250 - SSS		SP- 400 - SSS
SP- 250 - PSS		SP- 400 - PSS



SPECIFICATION

HORIZONTAL PULL	SINGLE DOOR	DOUBLE DOOR
Leaf Weight	≤ 150 Kg	≤ 120* 2KG
Width of Door	700~1300mm	600~1250mm
Controller	High-Performance Micro-Controller	High-Performance Micro-Controller
Motor	DC 24V 55W Brushless Motor	DC 24V 55W Brushless Motor
Opening Speed	≤ 400 mm/s (Adjustable)	≤ 400 mm/s (Adjustable)
Closing Speed	≤ 300 mm/s (Adjustable)	≤ 300 mm/s (Adjustable)
Door Hold Time	0.3~10s (Adjustable)	0.3~10s (Adjustable)
Manual Thrust	≤ 45N	≤ 45N
Opening Direction	Optional	Optional
Supply Voltage	AC85V~AC265V 50Hz-60Hz	AC85V~AC265V 50Hz-60Hz
Temperature	-30~85° C	-30~85° C
Humidity	35~85% RH (Non Condensing)	35~85% RH (Non Condensing)
Extentions	Safety Light eyes, such as Remote Controls of various types of access control	

PARTS LIST

	FITTING	QTY.
Standard	Track	1 Pc (4.2m)
	Controller	1 Pc
	Motor	1 Pc
	Power Switch	1 Pc
	Toothed Belt	1 Pc
	Belt Connection	1 Set
	Tension Wheel	1 Pc
	Stopper	2 Pc
	Hanger	4 Pc
Optional	Front Cover and Side Cover, Framed Glass Door and Frameless Glass Door	
	Electric Lock	
	Remote Control	
	Sensor	
	Door Clamp	
	Infrared and Motion Sensor	
	Photocell	
	Battery	
	Others	

AUTOMATIC SENSOR DOOR



Architectural Glass Hardware



DASD- 01

Automatic Sensor Door

OPTIONAL ACCESSORIES



Microwave Sensor

DOA- 01



Microwave Sensor

DOA- 02



Hand Wave Sensor

DOA- 03



Wireless Push Button

DOA- 04



Push Button Switch

DOA- 05



Metal Door Switch

DOA- 06



Remote Control

DOA- 07



Safety Beam

DOA- 08



Glass Clamp

DOA- 09



Floor Guide

DOA- 10



Read the Card Password Access Disc

DOA- 11



Controller Finger Print

DOA- 12

Exhibitions

Glass & Aluminium Expo. - June 2018, Ahmedabad

Glass Pro. - Sept. 2018, Mumbai

HBLF Show - Dec. 2018, Ahmedabad

Zak Glass Technology Expo. - Dec. 2018, Mumbai

Zak Glass Technology Expo. - Dec. 2019, New Delhi

Our Prestigious Clientele

Few Prestigious Projects



Notes

Notes section with horizontal dotted lines for writing.



Architectural Glass Hardware

Registered Office : A-301, 302 Empire Business Hub, Near Water Tank, Science City Road, Sola
Ahmedabad-380060, Gujarat, INDIA Tel.: +91 8160899915

Branch office : 276/1, Varahi Estate, Opp. ADC Bank, Near Gota-Chandlodiya Railway Bridge,
Ahmedabad-380060, Gujarat, INDIA Tel.: +91 9537505374

♦ AHMEDABAD ♦ SURAT ♦ RAJKOT ♦ BARODA ♦ MUMBAI ♦ PUNE ♦ NAGPUR ♦ NASIK
♦ BHOPAL ♦ INDORE ♦ HARYANA ♦ DELHI ♦ JAIPUR ♦ LUCKNOW ♦ HYDERABAD ♦ RANCHI
♦ MANGALORE ♦ BENGALURU ♦ CHENNAI ♦ KERALA ♦ KOLKATA ♦ ORRISA ♦ COIMBATORE ♦ GOA

Customer Care : +91 8160795283 **E-mail :** info@dubonthardware.com
Website : www.dubonthardware.com